

(wherein G_1 , G_2 , and G_3 are independently CH or N and G_4 is CH, provided that one or two of G_1 to G_3 is N;

X is CH and Y is N;

Z_1 is a group represented by the formula $-SO_2-$ or $-CH_2-$;

Z_2 is a single bond, a lower alkylene group, a lower alkenylene group or a lower alkynylene group;

Q is an optionally substituted aryl group in the form of a monocyclic or fused hydrocarbon ring having 6-14 carbon atoms or an optionally substituted heteroaryl group in a monocyclic or fused cyclic form having 1-4 heteroatoms comprising an oxygen, a sulfur, or a nitrogen atom;

R_1 is either any substituent selected from group A (a hydrogen atom, a halogen atom, a trifluoromethyl group, a trifluoromethoxy group, a carboxyl group, a carbamoyl group, an amino group, a cyano group, a nitro group, a lower alkanoyl group, a lower alkoxy group, a lower alkoxy carbonyl group, a mono- or di-substituted lower alkylamino group, a cyclic amino group optionally substituted by a lower alkyl group or a hydroxyl group and being a pyrrolidinyl group, a piperidinyl group, a morpholino group, or a piperazinyl group, a lower alkanoylamino group, a phenyl group, a phenoxy group, a benzyloxy group, a benzoyl group, a mercapto group, a lower alkylthio group, a

Sub Di
 lower alkylthiocarbonyl group, a hydroxyl group or a mono- or di-substituted lower alkylaminocarbonyl group), or an oxygen atom that forms a N-oxide group with N in any one of G1 - G4, or a lower alkyl group or a lower alkenyl group that may be substituted with a desired number of substituents of group A or a lower alkoxy group or a lower alkoxy group which may be substituted with a desired number of substituents of group A or a lower alkoxy group;

ET
 each of R₂, R₃, R₄, R₅, R₆, R₇, R₈ and R₉ forms an oxo group when combined with the carbon atom on the ring to which they are bound, or they are each a hydrogen atom, a carboxyl group, a lower alkylcarbonyl group, a lower alkoxy carbonyl group, a lower alkoxy carbonylalkylcarbonyl group, an optionally mono- or di-lower alkyl substituted carbamoyl group, a lower alkoxy carbamoyl group, a lower alkoxy carbonylalkylcarbamoyl group, a pyrrolidin-1-ylcarbonyl group, a morpholinocarbonyl group, a piperazin-1-ylcarbonyl group that may be substituted by a methyl group in 4-position, a piperidin-1-ylcarbonyl group that may be substituted by a methyl group or a hydroxyl group in 4-position, an N-phenylcarbamoyl group or a group represented by the formula -CONH(CH₂)_pS(O)_qR₁₀ or -CONH(CH₂)_rNR₁₁R₁₂, or a lower alkyl group that may be substituted by R₁₅;

each of R₁₀, R₁₁ and R₁₂ independently represents a hydrogen atom, a lower alkyl group, a phenyl group or a lower alkylphenyl group;

R₁₅ is a carboxyl group, a lower alkoxy carbonyl group, a hydroxyl group, a lower alkoxy group, a lower alkanoyloxy group, an amino group, a mono- or di-substituted lower alkylamino group, a lower alkanoylamino group, a lower

alkylsulfonylamino group, a cyclic amino group optionally substituted by a lower alkyl group or a hydroxyl group and being a pyrrolidinyl group, a piperidinyl group, a morpholino group, or a piperazinyl group, or an N-hydroxyimino group;

provided that R_6 may also represent two lower alkyl groups in geminal;

also provided that if any one of the substituents $R_2 - R_9$ includes cyclic group, such cyclic group may be substituted by one or two lower alkyl groups;


m is an integer of 0 - 3 and n is 1, p is an integer of 0 - 4, q is an integer of 0 - 2, and r is an integer of 1 - 4.

2. (twice amended) The method according to claim 1, wherein the substituent of the optionally substituted aryl or heteroaryl group as Q of the formula (I') is 1 - 4 groups in any combinations that are selected from among substituents of either group B (a halogen atom, a trifluoromethyl group, a trifluoromethoxy group, a trifluoromethanesulfonyl group, a carboxyl group, a carbamoyl group, an amino group, a cyano group, a nitro group, a lower alkanoyl group, a lower alkoxyl group, a lower alkoxycarbonyl group, a mono- or di-substituted lower alkylamino group, a lower alkanoylamino group, a cyclic amino group optionally substituted by a lower alkyl group or a hydroxyl group and being a pyrrolidinyl group, a piperidinyl group, a morpholino group, or a piperazinyl group, a mercapto group,, a lower alkylthio group, a lower alkylthiocarbonyl group, a lower alkylsulfonyl group, a lower alkylsulfinyl group, a hydroxyl group or a mono- or di-substituted lower alkylaminocarbonyl

C¹ group, an amidino group which is optionally substituted with sulfamoyl or carbamoyl group, the formula $\text{-NHCR}_{13}\text{-NHR}_{14}$ (wherein R_{13} is an optionally cyano-substituted imino group or a group -CHNO_2 ; R_{14} is a hydrogen atom or a methyl group), a phenyl group, a phenoxy group, a heteroaryl group, a heteroaryloxy group, or a group represented by phenyl-S(0)t or heteroaryl-S(0)t (wherein t is an integer of 0 - 2), the heteroaryl group of group B is a 5- or 6-membered aromatic monocyclic group containing not more than four oxygen atoms, sulfur atoms or nitrogen atoms, provided that all aromatic rings of group B may be mono-, di-, or tri-substituted by any substituent of group C (a halogen atom, a trifluoromethyl group, a cyano group, a hydroxyl group, an amino group, a mono- or di-substituted lower alkylamino group a cyclic amino group optionally substituted by a lower alkyl group or a hydroxyl group and being a pyrrolidinyl group, a piperidinyl group, a morpholino group, or a piperazinyl group, a nitro group, a carboxyl group, a mono or di-substituted lower alkylaminocarbonyl group, a lower alkyl group, a lower alkoxy group or a lower alkoxy carbonyl group)) or a lower alkyl group that may be substituted by a desired number of substituents of group B.

5. (amended) A compound represented by the following general formula

C² (II') or a salt thereof:



(wherein G_1 , G_2 and G_3 are independently CH or N, provided that one or two of them is N;


one of R_{6a} and R_{6b} is a hydrogen atom and the other is

- 1) a group selected from among a carboxyl group, a lower alkylcarbonyl group, a lower alkoxy carbonyl group and a lower alkoxy carbonyl alkylcarbonyl group;
- 2) a group selected from among an optionally mono- or di-lower alkyl substituted carbamoyl group, a lower alkoxy carbamoyl group, a lower alkoxy carbonyl alkylcarbamoyl group, a pyrrolidin-1-ylcarbonyl group, a morpholinocarbonyl group, a piperidin-1-ylcarbonyl group which may be substituted by a methyl group or a hydroxyl group in 4-position, an N-phenylcarbamoyl group or a group selected from among the groups represented by the formulae $-\text{CONH}(\text{CH}_2)_p\text{S}(\text{O})_q\text{R}_{10}$ and $-\text{CONH}(\text{CH}_2)_r\text{NR}_{11}\text{R}_{12}$ (wherein R_{10} , R_{11} and R_{12} are independently a hydrogen atom, a lower alkyl group, a phenyl group or a lower alkylphenyl group; p is an integer of 0 - 4, q is an integer of 0 - 2, and r is an integer of 1 - 4), or
- 3) a lower alkyl group optionally substituted by R_{15} ; R_{15} is a carboxyl group, a lower alkoxy carbonyl group, a hydroxyl group, a lower alkoxy group, a lower alkanoyloxy group, an amino group, a mono- or di-substituted lower alkylamino group, a lower alkanoylamino group, a lower alkylsulfonylamino group, a cyclic amino group optionally substituted by a lower alkyl group or a hydroxyl group and being a pyrrolidinyl group, a piperidinyl group, a morpholino group, or a piperazinyl group, or an N-hydroxyimino group;

or R_{6a} and R_{6b} are both a lower alkyl group;

Q' is an aryl group optionally in the form of a monocyclic or fused hydrocarbon ring having 6-14 carbon atoms and is optionally substituted by a group having 1 - 4 halogen atoms).

6. A compound of the formula (II''):



(wherein R_{6a} and Q' have the same definitions as given for the substituent R_{6a} but not a hydrogen and Q' in the formula (II')) or a salt thereof.

7. The compound or salt thereof according to claim 6, wherein R_{6a} is a carboxyl group, a lower alkoxy carbonyl group, or a lower alkyl group that may be substituted by R₁₅; and R₁₅ is a carboxyl group, a lower alkoxy carbonyl group, a hydroxyl group, a lower alkoxy group, or a lower alkanoyloxy group.

8. A compound selected from the following list of compounds, or a salt thereof:

1-[(E)-4-chlorostyrylsulfonyl]-4-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;
4-(naphthalene-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(6-bromonaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(benzo[b]thiophen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(5-fluorobenzo[b]thiophen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

C² 4-(6-chlorobenzo[b]thiophen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(4-methoxybenzo[b]thiophen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(6-methoxybenzo[b]thiophen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-[3-(ethoxycarbonylmethyl)benzo[b]thiophen-2-ylsulfonyl]-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

1-[1-(4-pyridyl)piperidin-4-ylmethyl]-4-[3-(trifluoromethyl)benzo[b]thiophen-2-ylsulfonyl]piperazine;

4-(3-nitrobenzo[b]thiophen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(benzo[b]furan-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(5-chlorobenzo[b]furan-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(2-methylbenzothiazol-6-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(4-phenylbenzenesulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(5-carboxy-2-chlorobenzenesulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-[5-(carboxymethyl)-2-chlorobenzenesulfonyl]-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(5-acetamidonaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-(5-aminonaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-[(E)-4-chlorostyrylsulfonyl]-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(5-aminonaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine;

4-[(E)-4-chlorostyrylsulfonyl]-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-bromonaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(naphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-methylnaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-cyanonaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-hydroxynaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(1-fluoronaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-2-ethoxycarbonyl-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazine;

4-(6-chloronaphthalen-2-ylsulfonyl)-2-hydroxymethyl-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazine;

2-carboxy-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazine;

4-(6-chloronaphthalen-2-ylsulfonyl)-2-[(2ethoxycarbonyl)acetyl]-1-[1-(4-pyridyl)piperidin-4ylmethyl]piperazine;

2-aminocarbonyl-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazine;

4-(6-chloronaphthalen-2-ylsulfonyl)-2-[N(ethylthioethyl)aminocarbonyl]-1-[1-(4-pyridyl)piperidin-4ylmethyl]piperazine;

2-acetyl-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazine; and

4-(6-chloronaphthalen-2-ylsulfonyl)-2-(N,Ndimethylaminocarbonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazine.

9. A compound selected from the following list of compounds, or a salt thereof:

- ✓ 4-(6-chloronaphthalen-2-ylsulfonyl)-6-ethoxycarbonyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;
- 6-carboxy-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;
- 4-(6-chloronaphthalen-2-ylsulfonyl)-6-hydroxymethyl-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;
- 4-(6-chloronaphthalen-2-ylsulfonyl)-6-methoxymethyl-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;
- 6-acetoxymethyl-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;
- 4-[(E)-4-chlorostyrylsulfonyl]-6-ethoxycarbonyl-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;
- 6-carboxy-4-[(E)-4-chlorostyrylsulfonyl]-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;
- 6-aminocarbonyl-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;
- 6-aldoximyl-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-6-morpholinocarbonyl-1-[1-(4-pyridyl) piperidin-4-ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-6-dimethylaminocarbonyl-1-[1-(4-pyridyl) piperidin-4-ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-6-methoxyaminocarbonyl-1-[1-(4-pyridyl) piperidin-4-ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-6-(4hydroxypiperidinecarbonyl)-1-[1-(4-pyridyl)piperidin-4ylmethyl]piperazin-2-one;

6-aminomethyl-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-6-morpholinomethyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-6-dimethylaminomethyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

6-acetamidomethyl-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-6methanesulfonylamidomethyl-1-[1-(4-pyridyl)piperidin-4ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-6-(4hydroxypiperidinemethyl)-1-[1-(4-pyridyl)piperidin-4ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-6-dimethyl-1-[1-(4pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(2-naphthylsulfonyl)-6-hydroxymethyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

6-acetoxymethyl-4-(2-naphthylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

(R)-4-(6-chloronaphthalen-2-ylsulfonyl)-6-ethoxycarbonyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

(S)-4-(6-chloronaphthalen-2-ylsulfonyl)-6-ethoxycarbonyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

(R)-4-(6-chloronaphthalen-2-ylsulfonyl)-6-methoxymethyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

(S)-4-(6-chloronaphthalen-2-ylsulfonyl)-6-methoxymethyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

(R)-6-carboxy-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

4-(6-chloronaphthalen-2-ylsulfonyl)-6-n-propoxycarbonyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

(R)-4-(6-chloronaphthalen-2-ylsulfonyl)-6-n-propoxycarbonyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;


4-(6-chloronaphthalen-2-ylsulfonyl)-6-isopropoxycarbonyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

(R)-4-(6-chloronaphthalen-2-ylsulfonyl)-6-isopropoxycarbonyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;

C² 6-t-butoxycarbonyl-4-(6-chloronaphthalen-2-ylsulfonyl)-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one;
4-(6-chloronaphthalen-2-ylsulfonyl)-6,6-dimethyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one; and
(R)-4-[(E)-4-chlorostyrylsulfonyl]-6-methoxymethyl-1-[1-(4-pyridyl)piperidin-4-ylmethyl]piperazin-2-one.


C³ 11. (twice amended) A pharmaceutical composition containing at least one compound or salt thereof according to any one of claims 5-9 or 17-19 as an active ingredient.

16. A compound of the formula (VI) optionally protected with a suitable protective group or a salt thereof:



(wherein G₁ - G₄, R₁ - R₉, m and n have the same meanings as respectively defined for the formula (I) in claim 1).

Sub
D³ 17. (amended) A compound represented by the following formula (I') or a salt thereof:



(wherein G_1 , G_2 , and G_3 are independently CH or N and G_4 is CH, provided that one or two of G_1 to G_3 is N;

X is CH and Y is N;

Z_1 is a group represented by the formula $-SO_2-$ or $-CH_2-$;

Z_2 is a single bond, a lower alkylene group, a lower alkenylene group or a lower alkynylene group;

Q is an optionally substituted aryl group in the form of a monocyclic or fused hydrocarbon ring having 6-14 carbon atoms or an optionally substituted heteroaryl group in a monocyclic or fused cyclic form having 1-4 heteroatoms comprising an oxygen, a sulfur, or a nitrogen atom;

R_1 is either any substituent selected from group A (a hydrogen atom, a halogen atom, a trifluoromethyl group, a trifluoromethoxy group, a carboxyl group, a carbamoyl group, an amino group, a cyano group, a nitro group, a lower alkanoyl group, a lower alkoxy group, a lower alkoxycarbonyl group, a mono- or di-substituted lower alkylamino group, a cyclic amino group optionally substituted by a lower alkyl group or a hydroxyl group and being a pyrrolidinyl group, a piperidinyl group, a morpholino group, or a piperazinyl group, a lower alkanoylamino group, a phenyl group, a phenoxy group, a benzyloxy group, a benzoyl group, a mercapto group, a lower alkylthio group, a lower alkylthiocarbonyl group, a hydroxyl group or a mono- or di-substituted

lower alkylaminocarbonyl group), or an oxygen atom that forms a N-oxide group with N in any one of G1 - G4, or a lower alkyl group, a lower alkoxy group, or a lower alkenyl group that may be substituted with a desired number of substituents of group A;

Sub 03
C4
each of R₂, R₃, R₄, R₅, R₆, R₇, R₈ and R₉ forms an oxo group when combined with the carbon atom on the ring to which they are bound, or they are each a hydrogen atom, a carboxyl group, a lower alkylcarbonyl group, a lower alkoxy carbonyl group, a lower alkoxy carbonylalkylcarbonyl group, an optionally mono- or di-lower alkyl substituted carbamoyl group, a lower alkoxy carbamoyl group, a lower alkoxy carbonylalkylcarbamoyl group, a pyrrolidin-1-ylcarbonyl group, a morpholinocarbonyl group, a piperazin-1-ylcarbonyl group that may be substituted by a methyl group in 4-position, a piperidin-1-ylcarbonyl group that may be substituted by a methyl group or a hydroxyl group in 4-position, an N-phenylcarbamoyl group or a group represented by the formula -CONH(CH₂)_pS(O)_qR₁₀ or -CONH(CH₂)_rNR₁₁R₁₂, or a lower alkyl group that may be substituted by R₁₅;

each of R₁₀, R₁₁ and R₁₂ independently represents a hydrogen atom, a lower alkyl group, a phenyl group or a lower alkylphenyl group;

R₁₅ is a carboxyl group, a lower alkoxy carbonyl group, a hydroxyl group, a lower alkoxy group, a lower alkanoyloxy group, an amino group, a mono- or di-substituted lower alkylamino group, a lower alkanoylamino group, a lower alkylsulfonylamino group, a cyclic amino group optionally substituted by a lower alkyl group or a hydroxyl group and being a pyrrolidinyl group, a

piperidinyl group, a morpholino group, or a piperazinyl group, or an N-hydroxyimino group;

provided that R_6 may also represent two lower alkyl groups in geminal;

also provided that if any one of the substituents $R_2 - R_9$ includes cyclic group, such cyclic group may be substituted by one or two lower alkyl groups;

m is an integer of 0 - 3 and n is 1, p is an integer of 0 - 4, q is an integer of 0 - 2, and r is an integer of 1 - 4;


with the proviso that when these compounds of formula (I') in which all of R_2 , R_3 , R , R_5 , R_6 , R_7 , R_8 , and R_9 are independently selected from hydrogens or oxo groups and Q is selected from the group consisting of five- or six-membered heterocycle, phenyl, phenyl alkenyl, and naphthyl, any of which is optionally substituted, are excluded.

18. (amended) The compound or salt thereof according to claim 17, wherein the substituents of the optionally substituted aryl or heteroaryl group as Q of the formula (I') is 1 - 4 groups in any combinations that are selected from among substituents of either group B (a halogen atom, a trifluoromethyl group, a trifluoromethoxy group, a trifluoromethanesulfonyl group, a carboxyl group, a carbamoyl group, an amino group, a cyano group, a nitro group, a lower alkanoyl group, a lower alkoxyl group, a lower alkoxycarbonyl group, a mono- or di-substituted lower alkylamino group, a lower alkanoylamino group, a cyclic amino group optionally substituted by a lower alkyl group or a hydroxyl group and being a pyrrolidinyl group, a piperidinyl group, a

C₄ morpholino group, or a piperazinyl group, a mercapto group, a lower alkylthio group, a lower alkylthiocarbonyl group, a lower alkylsulfonyl group, a lower alkylsulfinyl group, a hydroxyl group or a mono- or di-substituted lower alkylaminocarbonyl group, an amidino group which is optionally substituted with sulfamoyl or carbamoyl group, the formula -NHCR₁₃-NHR₁₄ (wherein R₁₃ is an optionally cyano-substituted imino group or a group -CHNO₂; R₁₄ is a hydrogen atom or a methyl group), a phenyl group, a phenoxy group, a heteroaryl group, a heteroaryloxy group, or a group represented by phenyl-S(0)t or heteroaryl-S(0)t (wherein t is an integer of 0 - 2), the heteroaryl group of group B is a 5- or 6-membered aromatic monocyclic group containing not more than four oxygen atoms, sulfur atoms or nitrogen atoms, provided that all aromatic rings of group B may be mono-, di-, or tri-substituted by any substituent of group C (a halogen atom, a trifluoromethyl group, a cyano group, a hydroxyl group, an amino group, a mono- or di-substituted lower alkylamino group, a cyclic amino group optionally substituted by a lower alkyl group or a hydroxyl group and being a pyrrolidinyl group, a piperidinyl group, a morpholino group, or a piperazinyl group, a nitro group, a carboxyl group, a mono or di-substituted lower alkylaminocarbonyl group, a lower alkyl group, a lower alkoxy group or a lower alkoxycarbonyl group)) or a lower alkyl group that may be substituted by a desired number of substituents of group B.

Add claim 19 as follows:

19. A compound represented by the following general formula (II') or a salt thereof:



(wherein G₁, G₂, and G₃ are independently CH or N, provided that one or two of them is N;

one of R_{6a} and R_{6b} is a hydrogen atom and the other is

1) a group selected from among a carboxyl group, a lower alkylcarbonyl group, a lower alkoxy carbonyl group, and a lower alkoxy carbonyl alkylcarbonyl group;

2) a group selected from among an optionally mono- or di-lower alkyl substituted carbamoyl group, a lower alkoxy carbamoyl group, a lower alkoxy carbonyl alkyl carbamoyl group, a pyrrolidin-1-ylcarbonyl group, a morpholinocarbonyl group, a piperidin-1-ylcarbonyl group which may be substituted by a methyl group or a hydroxyl group in 4-position, an N-phenyl carbamoyl group or a group selected from among the groups represented by the formulae -CONH(CH₂)_pS(O)_qR₁₀ and -CONH(CH₂)_pNR₁₁R₁₂ (wherein R₁₀, R₁₁, and R₁₂ are independently a hydrogen atom, a lower alkyl group, a phenyl

group, or a lower alkylphenyl group; p is an integer of 0-4, q is an integer of 0-2, and r is an integer of 1-4), or

3) a lower alkyl group optionally substituted by R₁₅; R₁₅ is a carboxyl group, a lower alkoxy carbonyl group, a hydroxyl group, a lower alkoxy group, a lower alkanoyloxy group, an amino group, a mono- or di-substituted lower alkylamino group, a lower alkanoylamino group, a lower alkylsulfonylamino group, a cyclic amino group optionally substituted by a lower alkyl group or a hydroxyl group and being a pyrrolidinyl group, a piperidinyl group, a morpholino group, or a piperazinyl group, or an N-hydroxyimino group;

or R_{6a} and R_{6b} are both the same lower alkyl group;

Q' represents -Z₂-Q, wherein Z₂ is a single bond, a lower alkylene group, a lower alkenylene group, or a lower alkynylene group and Q is an optionally substituted aryl group in the form of a monocyclic or fused hydrocarbon ring having 6-14 carbon atoms or an optionally substituted heteroaryl group in a monocyclic or fused cyclic form having 1-4 heteroatoms comprising an oxygen, a sulfur, or a nitrogen atom).

REMARKS

This is in response to the Office Action that was mailed on January 12, 2001. The amended definition of Q is based upon lines 16-21 on page 31 of the specification. With respect to Q, the Examiner's attention is also directed to lines 18-19 on page 31 and page 31, line 22 to page 32, line 4 for further discussion of what rings are included by the definition as amended. Finally,